

**RecordNo** CRC011361

**Consent Summary**

**Type** Consent

**Source** Applic /New (Waitaki)

**PermitType** Water Permit

**FileNo** CO6C/17556

**ClientID** 767

**ClientName** Dunstan Peaks Limited



- To** To divert surface water from Little Omarama Stream to an irrigation race at a maximum rate not exceeding 170 litres per second, and a volume not exceeding 4896 cubic metres per day, at or about map reference NZMS 260: H40:635-166; and
- To take and use water at a maximum rate not exceeding 170 litres per second, and a volume not exceeding 4,896 cubic metres per day, and a volume not exceeding 180,000 cubic metres per year, from an irrigation race located at or about map reference NZMS 260: H40:635-166, for domestic and stock use and border dyke irrigation of up to 30 hectares of pasture at Twinburn, Broken Hutt Road, Omarama. A 35 year duration is sought.
- To take and use water from Little Omarama Stream at a maximum rate not exceeding 30 litres per second, and a volume not exceeding 2,592 cubic metres per day, at or about map reference NZMS 260: H40:628-183 for stock and domestic needs at Twinburn, Broken Hutt Road, Omarama. A 35 year duration is sought.
- To divert surface water from Omarama Stream to an irrigation race at a maximum rate not exceeding 350 litres per second, and a volume not exceeding 18,900 cubic metres per day, at or about map reference NZMS 260: H40:613-159, and
- To take and use water at a maximum rate not exceeding 350 litres per second, and a volume not exceeding 18,900 cubic metres per day, and a volume not exceeding 690,000 cubic metres per year, from an irrigation race, at or about map reference NZMS 260: H40:613-159 for stock use and border dyke irrigation of up to 115 hectares of pasture at Twinburn, Broken Hutt Road.
- To divert surface water from Omarama Stream into an irrigation race at a maximum rate not exceeding 290 litres per second, and a volume not exceeding 11,185 cubic metres per day, at or about map reference NZMS 260: H40:615-177; and
- To take and use water at a maximum rate not exceeding 290 litres per second, and a volume not exceeding 11,185 cubic metres per day, and a volume not exceeding 1,020,000 cubic metres per year, from an irrigation race at or about map reference NZMS 260: H40:615-177 for border dyke irrigation of up to 170 hectares of pasture at Dunstan Peaks, Broken Hutt Road, Omarama. A 35 year duration is sought.
- To divert surface water from Twaddles Creek into an irrigation race at a maximum rate not exceeding 100 litres per second, and a volume not exceeding 8,640 cubic metres per day, at or about map reference NZMS 260: H40: 603-198; and
- To dam water from a water race in a storage header pond at a maximum volume of 45,000 cubic metres located at or about NZMS 260: H40: 603-198, and
- To take and use water at a maximum rate not exceeding 100 litres per second, and a volume not exceeding 8,640 cubic metres per day, and a volume not exceeding 90,000 cubic metres per year, from an irrigation race, at or about map reference NZMS 260: H40:603-198 for border dyke irrigation of up to 15 hectares of pasture at Dunstan Peaks, Broken Hutt Road, Omarama. A 35 year duration is sought.
- To divert surface water from Middle Gully into an irrigation race at a maximum rate not exceeding 150 litres per second, and a volume not exceeding 90,720 cubic metres per day, at or about map reference NZMS 260: H40:614-192; and
- To dam and hold water from the irrigation race in a storage header pond at a maximum volume of 45,000 cubic metres at or about map reference NZMS 260: H40:614-192, and
- To take and use water at a maximum rate not exceeding 150 litres per second, and a volume not exceeding 90720 cubic metres per day, and a volume not exceeding 90,000 cubic metres per year, from an irrigation race, at or about map reference NZMS 260: H40:614-192 for stock and domestic supply. A 35 year duration is sought.
- To divert surface water from an irrigation race at a maximum rate not exceeding 115 litres per second, and a volume not exceeding 69,552 cubic metres per day, at or about map reference NZMS 260: H40:613-197; and
- To take and use water from an irrigation supply race at a maximum rate not exceeding 115 litres per second, and a volume not exceeding 69,552 cubic metres per day, at or about map reference NZMS 260: H40:613-197 for electricity generation at Dunstan Peaks, Broken Hutt Road, Omarama. A 35 year duration is sought.
- The above applications are for existing activities.

**Location** Broken Hut Rd, OMARAMA

**Status** Hearing, Objection to costs

**Events**

- 15/Jan/2001 Submitted
- 15/Jan/2001 Received
- 07/Feb/2001 Sec 92 Information Request
- 19/Jul/2002 Sec 92 Information Received
- 19/Jul/2002 Is notifiable
- 29/Jul/2002 Sec 37A(2)(b) extend more than double time Starts
- 11/Sep/2003 Ministers Call-in
- 06/Dec/2003 Public Notification - MFE
- 06/Dec/2004 Passed to Investigating Officer
- 03/Jul/2006 Sec 37A(2)(b) extend more than double time Ends
- 31/Jul/2006 Ministers Call-in Cancelled
- 11/Sep/2006 Passed to Investigating Officer
- 24/Oct/2006 Sec 92 Information Request
- 15/Dec/2006 Sec 92 Information Received
- 15/Dec/2006 Notifiable (Waitaki Plan)
- 04/Aug/2007 Public Notification
- 28/Sep/2007 Submissions Close
- 30/Oct/2007 Submissions entered
- 02/May/2008 Passed to Investigating Officer
- 30/Sep/2008 Passed to Investigating Officer
- 03/Nov/2008 Sec 92 Information Request
- 19/May/2009 Pre-hearing Starts
- 19/May/2009 Pre-hearing Closed
- 25/Aug/2009 Sec 92 Information Received
- 21/Sep/2009 Hearing Starts
- 29/Apr/2010 Hearing Adjourned
- 19/Oct/2010 Objection to Costs Received

**RecordNo** CRC011362

**Consent Summary**

**Type** Consent

**Source** Applic /New (Waitaki)

**PermitType** Discharge Permit

**FileNo** CO6C/17556

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** To discharge unused water/surplus irrigation water into Twaddle Creek at a maximum rate not exceeding 150 litres per second, and a volume not exceeding 90,720 cubic metres per day, at Dunstan Peaks, Broken Hutt Road, Omarama, at or about map reference NZMS 260: H39:607-201. A 35 year duration is sought. To discharge water used for power generation into Twaddle Creek at a maximum rate not exceeding 30 litres per second, and a volume not exceeding 69552 cubic metres per week, at or about map reference NZMS 260: H40:613-197. A 35 year duration is sought. To divert surface water from Twaddle Creek in to an irrigation race at a maximum rate not exceeding 45 litres per second, and a volume not exceeding 3,888 cubic metres per day, at or about map reference NZMS 260: H40:606-219; and To take and use water race at a maximum rate not exceeding 45 litres per second, and a volume not exceeding 3,888 cubic metres per day, and a volume not exceeding 72,000 cubic metres per year, from an irrigation race at or about map reference NZMS 260: H40:606-219 for border dyke irrigation of up to 12 hectares of pasture at Clifton Downs, Broken Hutt Road, Omarama. A 35 year duration is sought. The above applications are for existing activities.

**Location** Broken Hut Rd, OMARAMA

**Status** Hearing, Objection to costs

**Events**

- 15/Jan/2001 Submitted
- 15/Jan/2001 Receipted
- 07/Feb/2001 Sec 92 Information Request
- 19/Jul/2002 Sec 92 Information Received
- 19/Jul/2002 Is notifiable
- 29/Jul/2002 Sec 37A(2)(b) extend more than double time Starts
- 03/Jul/2006 Sec 37A(2)(b) extend more than double time Ends
- 24/Oct/2006 Sec 92 Information Request
- 15/Dec/2006 Sec 92 Information Received
- 01/Aug/2007 Public Notification
- 28/Sep/2007 Submissions Close
- 30/Oct/2007 Submissions entered
- 02/May/2008 Passed to Investigating Officer
- 30/Sep/2008 Passed to Investigating Officer
- 03/Nov/2008 Sec 92 Information Request
- 19/May/2009 Pre-hearing Starts
- 19/May/2009 Pre-hearing Closed
- 25/Aug/2009 Sec 92 Information Received
- 21/Sep/2009 Hearing Starts
- 29/Apr/2010 Hearing Adjourned
- 19/Oct/2010 Objection to Costs Received

**RecordNo** CRC011363

**Consent Summary**

**Type** Consent

**Source** Applic /New (Waitaki)

**PermitType** Land Use Consent

**FileNo** CO6C/17556



**ClientID** 767

**ClientName** Dunstan Peaks Limited

**To** To disturb the bed and banks at Little Omarama Stream to facilitate the taking of water and to carry out remedial works as required to maintain the diversion structure, at or about map references NZMS 260 H40:635-166, NZMS 260 H40:613-159 and NZMS 260 H40:615-177.  
To disturb the bed and banks at Twaddles Creek to facilitate the taking of water and to carry out remedial works as required to maintain the diversion structure, at or about map references NZMS 260 H40:603-198 and NZMS 260 H40:606-219.  
To disturb the bed and banks at Middle Gully to facilitate the taking of water and to carry out remedial works as required to maintain the diversion structure, at or about map references NZMS 260 H40:606-183 and NZMS 260 H40:614-192. This is a new application for works in the bed or banks of a waterway at Twinburn, Dunstan Peaks and Clifton Downs, Broken Hutt Road, Omarama. A 35 year duration is sought.

**Location** Broken Hut Rd, OMARAMA

**Status** Hearing, Objection to costs

**Events**

- 15/Jan/2001 Submitted
- 15/Jan/2001 Received
- 07/Feb/2001 Sec 92 Information Request
- 19/Jul/2002 Sec 92 Information Received
- 19/Jul/2002 Is notifiable
- 29/Jul/2002 Sec 37A(2)(b) extend more than double time Starts
- 03/Jul/2006 Sec 37A(2)(b) extend more than double time Ends
- 24/Oct/2006 Sec 92 Information Request
- 15/Dec/2006 Sec 92 Information Received
- 04/Aug/2007 Public Notification
- 28/Sep/2007 Submissions Close
- 30/Oct/2007 Submissions entered
- 02/May/2008 Passed to Investigating Officer
- 30/Sep/2008 Passed to Investigating Officer
- 03/Nov/2008 Sec 92 Information Request
- 19/May/2009 Pre-hearing Starts
- 19/May/2009 Pre-hearing Closed
- 25/Aug/2009 Sec 92 Information Received
- 21/Sep/2009 Hearing Starts
- 29/Apr/2010 Hearing Adjourned
- 19/Oct/2010 Objection to Costs Received

**RecordNo** CRC916062A.1

**Consent Summary**

**Type** Consent  
**Source** Full Transfer  
**PermitType** Water Permit  
**FileNo** CO6C/08045



**ClientID** 767

**ClientName** Dunstan Peaks Limited

**To** to take up to 27216 cubic metres of water per week at a maximum rate of 45.0 litres per second from TWADDLES CREEK at or about map reference H39:606-219 for domestic, stock and flood irrigation of 12 hectares.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events** 12/Feb/1994 Given Effect To  
13/Feb/1994 Lapse Date if not Given Effect To  
13/Mar/1995 < Consent Transferred  
11/Sep/2000 1st Expiry Reminder  
01/May/2001 Consent Expires  
01/May/2001 Sec 124 continuation starts

**Subject to the following conditions:**

- 1) (a) For the period 1 November to 30 April of the following year the taking of water for irrigation purposes in terms of this consent shall cease whenever the flow in the Omarama Stream as measured by the Canterbury Regional Council at any of the following sites is at or below the following values. SITE MAP REFERENCE FLOW (Litres per second) Omarama Station Bridge H39:678-306 500 Tara Hills Recorder H39:624-260 250 (b) For the period 1 May to 31 October the taking of water for irrigation purposes in terms of this consent shall cease whenever the flow in the Omarama Stream as measured by the Canterbury Regional Council at any of the following sites is at or below the following values. SITE MAP REFERENCE FLOW (Litres per second) Omarama Station Bridge H39:678-306 1200 Tara Hills Recorder H39:624-260 750
- 2) For the period 1 November to 30 April of the following year the taking of water for irrigation purposes in terms of this consent shall be reduced to half the weekly allocation whenever the flow in the Omarama Stream at the Omarama Station Bridge recorder site (map reference H39:678-306), as measured by the Canterbury Regional Council, is at or below 800 litres per second. PROVIDED THAT whenever the Water Users Committee representing all water users who are subject to this condition, and the Canterbury Regional Council, has determined upon a water sharing regime which restricts abstraction from the Omarama Stream in accordance with the minimum flow of 500 litres per second at the Omarama Station Bridge recorder site, then the taking of water in accordance with that determination shall be deemed to be a compliance with this condition.
- 3) The hours and rate at which water is taken shall be measured and recorded weekly in a log book kept for that purpose, and a copy of the records submitted to the Canterbury Regional Council before 31 January and 31 May, for the periods August-December inclusive and January-April inclusive respectively.
- 4) A fish screen shall be operated and maintained on the race intake so that fish are prevented from passing into the intake at all times to the satisfaction of the Group Manager Regulations and Consents, Canterbury Regional Council.

**RecordNo** CRC916062B.1

**Consent Summary**

**Type** Consent

**Souce** Full Transfer

**PermitType** Discharge Permit

**FileNo** CO6C/08046

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to discharge up to 27216 cubic metres of surplus water per week at a maximum rate of 45.0 litres per second from stockwater race to the Omarama Stream at or about map reference H39:604-241

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

- 13/Mar/1995 < Consent Transferred
- 11/Sep/2000 1st Expiry Reminder
- 01/May/2001 Consent Expires
- 01/May/2001 Sec 124 continuation starts

**RecordNo** CRC916173A

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06902



**ClientID** 767

**ClientName** Dunstan Peaks Limited

**To** to divert up to 14688 cubic metres of water per week at a maximum rate of 170 litres per second, from LITTLE OMARAMA STREAM at or about map reference H40:635-166 for purpose of domestic, stockwater and borderdyke irrigation of 30 hectares of pasture.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**Subject to the following conditions:**

- 1) The Grantee shall ensure that the diversion does not impede the free passage of fish to the satisfaction of the Water Resources Manager, Canterbury Regional Council.

**RecordNo** CRC916173B

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06903

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to take up to 14688 cubic metres of water per week at a maximum rate of 170 litres per second from the LITTLE OMARAMA STREAM, at or about map reference H40:635-166 for domestic, stockwater and borderdyke irrigation of 30 hectares of pasture.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**Subject to the following conditions:**

- 1) The hours and rate at which water is taken shall be measured and recorded weekly in a log book kept for that purpose, and a copy of the records submitted to the Canterbury Regional Council before 31 January and 31 May, for the periods August-December inclusive and January-April inclusive respectively.
- 2) The conditions of this permit may be reviewed by the Canterbury Regional Council for the purposes of dealing with any adverse effect on the environment which may arise from the exercise of this permit which is appropriate to deal with at a later stage. A decision on whether or not the conditions will be reviewed will be made on the last working day of June each year.

**RecordNo** CRC916228A

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06904



**ClientID** 767

**ClientName** Dunstan Peaks Limited

**To** to divert up to 75600 cubic metres of water per week at a maximum rate of 350 litres per second, from the OMARAMA STREAM for borderdyke irrigation of 115 hectares at or about map reference H40:613-159.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**Subject to the following conditions:**

- 1) The Grantee shall ensure that the diversion does not impede the free passage of fish to the satisfaction of the Water Resources Manager, Canterbury Regional Council.

**RecordNo** CRC916228B

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06905

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to take up to 75600 cubic metres of water per week at a maximum rate of 350 litres per second from the OMARAMA STREAM, at or about map reference H40:613-159 for borderdyke irrigation of 115 hectares of pasture

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**Subject to the following conditions:**

- 1) The hours and rate at which water is taken shall be measured and recorded weekly in a log book kept for that purpose, and a copy of the records submitted to the Canterbury Regional Council before 31 January and 31 May, for the periods August-December inclusive and January-April inclusive respectively.
- 2) The conditions of this permit may be reviewed by the Canterbury Regional Council for the purposes of dealing with any adverse effect on the environment which may arise from the exercise of this permit which is appropriate to deal with at a later stage. A decision on whether or not the conditions will be reviewed will be made on the last working day of June each year.

**RecordNo** CRC916230A

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06906

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to take up to 18144 cubic metres of water per week at a maximum rate of 30 litres per second from the LITTLE OMARAMA STREAM, at or about map reference H40:628-183 for domestic and stockwater use.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**Subject to the following conditions:**

- 1) Nil.

**RecordNo** CRC916230B

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Discharge Permit

**FileNo** CO6C/06907

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to discharge up to 18144 cubic metres of surplus stockwater per week at a maximum rate of 30 litres per second from a stockwater race to Omarama Stream at or about map reference H40:616-185

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**RecordNo** CRC916235A

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06908

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to divert up to 120960 cubic metres of water per week at a maximum rate of 350 litres per second, from the OMARAMA STREAM at or about map reference H40:615-177 for purpose of domestic, stockwater and irrigation use.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**Subject to the following conditions:**

- 1) The Grantee shall ensure that the diversion does not impede the free passage of fish to the satisfaction of the Water Resources Manager, Canterbury Regional Council.

**RecordNo** CRC916235B

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06909

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to take up to 120960 cubic metres of water per week at a maximum rate of 350 litres per second from the OMARAMA STREAM, at or about map reference H40:615-177 for domestic, stock, borderdyke and flood irrigation of 170 hectares of pasture

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**Subject to the following conditions:**

- 1) The hours and rate at which water is taken shall be measured and recorded weekly in a log book kept for that purpose, and a copy of the records submitted to the Canterbury Regional Council before 31 January and 31 May, for the periods August-December inclusive and January-April inclusive respectively.
- 2) The conditions of this permit may be reviewed by the Canterbury Regional Council for the purposes of dealing with any adverse effect on the environment which may arise from the exercise of this permit which is appropriate to deal with at a later stage. A decision on whether or not the conditions will be reviewed will be made on the last working day of June each year.

**RecordNo** CRC916236A

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06910

**ClientID** 85633

**ClientName** Dunstan Peaks Limited



**To** to dam Twaddles Creek to a maximum height of 0.4 metres, at or about map reference H40:603-198.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**RecordNo** CRC916236B

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06911

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to take up to 60480 cubic metres of water per week at a maximum rate of 100 litres per second from the TWADDLES CREEK, at or about map reference H40:603-198 for borderdyke irrigation of 15 hectares of pasture and to supplement Twaddles Creek.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**Subject to the following conditions:**

- 1) This permit shall be exercised in conjunction with permits CRC916238B and CRC916239B to ensure that a minimum flow of 50 litres per second is maintained in Twaddles Creek at or about map reference H40:607-201 at all times during the exercise of this permit.
- 2) The hours and rate at which water is taken shall be measured and recorded weekly in a log book kept for that purpose, and a copy of the records submitted to the Canterbury Regional Council before 31 January and 31 May, for the periods August-December inclusive and January-April inclusive respectively.
- 3) The conditions of this permit may be reviewed by the Canterbury Regional Council for the purposes of dealing with any adverse effect on the environment which may arise from the exercise of this permit which is appropriate to deal with at a later stage. A decision on whether or not the conditions will be reviewed will be made on the last working day of June each year.

**RecordNo** CRC916238A

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06912

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to divert up to 120960 cubic metres of water per week at a maximum rate of 350 litres per second, from Middle Gully at or about map reference H40:606-183 and H40:610-185 for domestic, stock and borderdyke irrigation use, and to supplement Twaddles Creek.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**Subject to the following conditions:**

- 1) The Grantee shall ensure that the diversion does not impede the free passage of fish to the satisfaction of the Water Resources Manager, Canterbury Regional Council.

**RecordNo** CRC916238B

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06913

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to take up to 120960 cubic metres of water per week at a maximum rate of 350 litres per second from the MIDDLE GULLY, at or about map reference H40:606-183 and H40:610-185 for domestic, stock and borderdyke irrigation of 170 hectares of pasture and to supplement Twaddles Creek.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

- 25/Feb/1993 Consent Commenced
- 09/Mar/1993 Consent Issued
- 24/Feb/1995 Given Effect To
- 25/Feb/1995 Lapse Date if not Given Effect To
- 11/Sep/2000 1st Expiry Reminder
- 01/May/2001 Sec 124 continuation starts
- 01/May/2001 Consent Expires

**Subject to the following conditions:**

- 1) This permit shall be exercised in conjunction with permits CRC916236B and CRC916239B to ensure that a minimum flow of 50 litres per second is maintained in Twaddles Creek at or about map reference H40:607-201 at all times during the exercise of this permit.
- 2) The hours and rate at which water is taken shall be measured and recorded weekly in a log book kept for that purpose, and a copy of the records submitted to the Canterbury Regional Council before 31 January and 31 May, for the periods August-December inclusive and January-April inclusive respectively.
- 3) The conditions of this permit may be reviewed by the Canterbury Regional Council for the purposes of dealing with any adverse effect on the environment which may arise from the exercise of this permit which is appropriate to deal with at a later stage. A decision on whether or not the conditions will be reviewed will be made on the last working day of June each year.

**RecordNo** CRC916239A

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06914

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to divert up to 90720 cubic metres of water per week at a maximum rate of 150 litres per second, from Middle Gully at or about map reference H40:614-192 for stockwater and to supplement flows in Twaddle Creek

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**Subject to the following conditions:**

- 1) The Grantee shall ensure that the diversion does not impede the free passage of fish to the satisfaction of the Water Resources Manager, Canterbury Regional Council.

**RecordNo** CRC916239B

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06915

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to take up to 90720 cubic metres of water per week at a maximum rate of 150 litres per second from MIDDLE GULLY, at or about map reference H40:614-192 for stockwater and to supplement Twaddles Creek.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

- 25/Feb/1993 Consent Commenced
- 09/Mar/1993 Consent Issued
- 24/Feb/1995 Given Effect To
- 25/Feb/1995 Lapse Date if not Given Effect To
- 11/Sep/2000 1st Expiry Reminder
- 01/May/2001 Sec 124 continuation starts
- 01/May/2001 Consent Expires

**Subject to the following conditions:**

- 1) This permit shall be exercised in conjunction with permits CRC916236B and CRC916238B to ensure that a minimum flow of 50 litres per second is maintained in Twaddles Creek at or about map reference H40:607-201 at all times during the exercise of this permit.
  
- 2) The conditions of this permit may be reviewed by the Canterbury Regional Council for the purposes of dealing with any adverse effect on the environment which may arise from the exercise of this permit which is appropriate to deal with at a later stage. A decision on whether or not the conditions will be reviewed will be made on the last working day of June each year.

**RecordNo** CRC916239C

**Consent Summary**

**Type** Consent  
**Souce** Applic /New

**PermitType** Discharge Permit

**FileNo** CO6C/06916

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** to discharge up to 90720 cubic metres of water per week at a maximum rate of 150 litres per second from a stockwater race at or about map reference H39:607-201 to supplement flows in Twaddles Creek.

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**RecordNo** CRC916240

**Consent Summary**

**Type** Consent

**Source** Applic /New

**PermitType** Water Permit

**FileNo** CO6C/06917

**ClientID** 767

**ClientName** Dunstan Peaks Limited



**To** To take up to 69552 cubic metres per week at a maximum rate of 115 litres per second from OMARAMA STREAM and MIDDLE GULLY via Irrigation Supply Race at or about map reference H40:615-193 for Electric Power Generation

**Location** Broken Hut Rd, OMARAMA

**Status** Continuation until new application determined

**Events**

25/Feb/1993	Consent Commenced
09/Mar/1993	Consent Issued
24/Feb/1995	Given Effect To
25/Feb/1995	Lapse Date if not Given Effect To
11/Sep/2000	1st Expiry Reminder
01/May/2001	Sec 124 continuation starts
01/May/2001	Consent Expires

**Subject to the following conditions:**

1) Nil.